



# API Farayad

Cloud LMS

[www.farayad.co](http://www.farayad.co)

[www.farayad.org](http://www.farayad.org)

update at : 1401/05/26

APIs : GroupsAll, GroupDelete

## پیش نیاز

مقادیری که باید در ابتدا از سیستم دریافت نمایید :

{ "wstoken" } این مقدار به شما داده می شود که همه درخواست ها با این مقدار باید ارسال شوند

{ "Authorization" } این مقدار توسط jwt login (از سند User Login) با یوزر ادمینی بدست می آید. مقدار token به همراه

header : Authorization در bearer ارسال شود.

GroupsAll.....	2
CURL.....	2
Result.....	2
GroupsDelete.....	3
Parameters.....	3
CURL.....	3
Result.....	3

## GroupsAll

گرفتن لیست گروه‌های کاربری سامانه.

URL : <https://api.farayad.org/user/manage/groups/all>

method : GET

## CURL

```
curl --location --request GET 'https://api.farayad.org/user/manage/groups/all?
wstoken={{wstoken}}' \
--header 'Authorization: bearer {{Authorization}}'
```

## Result

```
action: ,
message: ,
result_items: {
    current_page: ,
    data: [
        {
            id: ,
            parent_id: ,
            title:
        }, ...
    ],
    first_page_url: ,
    from: ,
    last_page: ,
    last_page_url: ,
    next_page_url: ,
    path: ,
    per_page: ,
    prev_page_url: ,
    to: ,
    total:
},
quest_token: ,
has_redirect:
```

## GroupsDelete

حذف گروه کاربری.

URL : <https://api.farayad.org/user/manage/groups/rm/{id}>

method : DELETE

### Parameters

- id: integer, required

### CURL

```
curl --location --request DELETE  
'https://api.farayad.org/user/manage/groups/rm/{id}?wstoken={{wstoken}}' \  
--header 'Authorization: bearer {{Authorization}}'
```

### Result

```
action: ,  
message: ,  
quest_token: ,  
has_redirect:
```